


# ECP in Lille, activities and points of interest



Centre Hospitalier Régional  
Universitaire de Lille

# Lille



# Aphaeresis unite


Teaching Hospital  
In a department of nephrology

Plamsapheresis unite  
Plasma exchange  
Immunoadsportion  
LDL-apheresis  
and extracorporeal photopheresis

Therakos design.




# Activities



# Focus in ECP

3199 run  
103 patients  
600/year



# ECP haematology

- GVHD is 61% of all the activity, represent 1892 séances, in 57 patients.
- Indication:
  - GVHc: 1800 séances (95%), 40 patients
  - GVHa: 62 séances (3.3%), 6 patients
  - ECP for GVH prevention: 30 séances (1.6%), 4 patients.

## Contacts

### Adults:

- Dr L.Magro
- Dr V. Coiteux
- Pr I Yakoubaga

### Paediatrics:

- Dr E. Deberanger
- Dr B. Bruno
- Dr A. Lahoche

# ECP dermatology

- Dermatology represented 32% of all the activity with 1013 séances, in 34 patients,
  - Cutaneous lymphoma (Sezary): 606 séances (59%) 17 patients
  - Atopic dermatitis: 178 séances (18%), 4 patients
  - Others (lichen planus, cutaneous lupus, corhn, mucinos): 229 (23%)

## **Contacts:**

- Dr O. Carpentier
- PHD D. Staumont
- PHD L. Mortier

# ECP solid allograft transplantation

- Allograft transplantation 7% of total ECP activity, 289 séances and 13 patients:
  - BOS after lung transplantation: 224 (77.5%) séances, 9 patients
  - Chronic rejection after kidney transplantation: 65 (22.5%), 4 patients.

## **Contacts:**

- Kidney transplantation:
  - \* Dr A.Lionet
  - \* PHD M. Hazzan
  - \*PHD C.Noel
- Lung Transplantation:  
Hopital Foch Paris

# Points of interest.

- **Retrospectives studies for analyse our medical practices with :**
  - Haematologist (L. Magro Lille),
  - Dermatologist (Cutaeneous cell lymphoma-O Carpentier; atopique dermatitidis D. Staumont Lille)
  - and lung transplantation (C. Picard Paris)
- **Contribution in national Protocol**
  - ECP in prevention of acute GVHD after Stem cell allograft transplantation. PHD Michalet & Dr O. Hecquet Marseille.
  - ECP in relapse or refractory non cutaeneous T lymphoma. Dr R.Gressin Grenoble.
- **Contribution in national retrospective study:**
  - ECP for chronic allograft néphropathy. PHD AE Heng Clermont-ferrand. 19 patients.

# Conclusion

- Young team in a nephrology unit.
- Retrospective analyses of our clinical practices.
- Small contribution in Clinical researches
- Kidney transplantation.